## Canon

## Canon PowerShot V10 Advanced Vlogging-Kit 1" Fotocamera compatta 20 MP CMOS 5472 x 3648 Pixel Nero

Marchio : Canon Famiglia del prodotto: Codice prodotto: 5947C006
PowerShot

Nome del prodotto : V10 Advanced Vlogging-Kit

Canon PowerShot V10 Advanced Vlogging-Kit. Tipologia fotocamera: Fotocamera compatta, Megapixel: 20 MP, Dimensione del sensore di immagine: 1", Tipo sensore: CMOS, Risoluzione massima immagine: 5472 x 3648 Pixel. Sensibilità ISO (max): 6400. Lunghezza focale: 6.6 mm. Velocità massima dell'otturatore della fotocamera: 1/4000 s. Wi-Fi. Tipologia HD: 4K Ultra HD, Risoluzione massima video: 3840 x 2160 Pixel. Dimensioni diagonale schermo: 5,08 cm (2"), Touch screen. Peso: 211 g. Colore del prodotto: Nero





Picture quality		Display	
Image sensor size *	1"	Display aspect ratio	3:2
Camera type *	Compact camera	Flip-out screen	✓
Megapixel (approx.) *	20 MP	Vari-angle LCD display	✓
Sensor type *	CMOS	Ports & interfaces	
Maximum image resolution *	5472 x 3648 pixels		
Still image resolution(s) *	5472 x 3648, 3648 x 2432, 2736 x 1824, 2400 x 1600, 4864 x 3648, 3248 x 2432, 2432 x 1824, 2112 x 1600, 5472 x 3072, 3648 x 2048, 2736 x 1536, 2400 x 1344, 3648 x 3648, 2432 x 2432, 1824 x 1824, 1600 x 1600	USB version * USB connector	2.0 USB Type-C
		HDMI *	✓
		HDMI connector type	Micro
		Microphone in	✓
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	Headphone connectivity	3.5 mm
Total megapixels	20.9 MP	Network	
Image formats supported *	JPEG	Bluetooth *	<b>✓</b>
Lens system		Bluetooth version	4.2
Focal length range	6.6 mm	Bluetooth Low Energy (BLE)	✓
Minimum focal length (35mm film	10 mm	Wi-Fi *	✓
equiv)	18 mm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximum focal length (35mm film equiv)	19 mm	Camera	
Maximum aperture number	2.8	White balance *	Auto, Cloudy, Daylight, Manual, Tungsten
Lens structure (elements/groups) Number of aspheric elements	8/7 3	White balance compensation (Blue/Amber)	±9

Engueing		Camara	
Focusing	TTI	Camera	
Focus *	TTL Auto (Marriel	White balance compensation (Magenta/Green)	±9
Focus adjustment * Auto focusing (AF) modes *	Auto/Manual Continuous Auto Focus	Shooting modes *	Auto
Auto Focus (AF) object detection	People	Self-timer delay *	2,10 s
Face tracking	✓	Dioptre correction	×
Closest focusing distance	0.05 m		Arabic, Simplified Chinese,
Auto Focus (AF) lock	✓		Traditional Chinese, Czech, Danish,
Auto Focus (AF) assist beam	×		German, Dutch, English, Spanish, Finnish, French, Greek, Hebrew,
	•	Languages support	Hindi, Hungarian, Indonesian,
Exposure			Italian, Japanese, Korean, Norwegian, Polish, Portuguese,
ISO sensitivity (min) *	125		Romanian, Russian, Swedish, Thai, Turkish, Ukrainian, Vietnamese
ISO sensitivity (max) * ISO sensitivity	6400 125, 200, 400, 800, 6400	Histogram	Turkish, Okramian, Viethamese  ✓
Light exposure modes *	Auto, Manual	•	
Light exposure control	Program AE	Live view	<b>/</b>
Light exposure correction *	± 3EV (1/3EV step)	Direct printing	×
Light metering *	Evaluative (Multi-pattern)	GPS (satellite)	×
Number of measurement zones	384	Orientation sensor	✓
Shutter		Anti-dust function	X
Fastest camera shutter speed *	1/4000 s	Smartphone/tablet remote support	✓
Slowest camera shutter speed *	1 s	View on smartphone	<b>✓</b>
Camera shutter type	Electronic	Tripod mounting supported *	<b>/</b>
Flash		Image processor	DIGIC X
Flash exposure lock	×	Design	
External flash connector	×	Product colour *	Black
Flash exposure compensation	×	Dustproof	×
Shoe mounting point	×	Splash proof	×
	^	Battery	
Video		Battery technology *	Lithium-lon (Li-lon)
Video recording *	1	Number of batteries supported	1
Maximum video resolution *	3840 x 2160 pixels	Battery level indicator	✓
HD type * Video resolutions	4K Ultra HD 3840 x 2160,1920 x 1080 pixels	Power	
Video formats supported	H.264	USB Type-C charging port *	<b>✓</b>
Video recording ISO sensitivity		USB Type-C required charging	
(auto)	125-6400, 125-3200	power (min) *	7.5 W
Video recording ISO sensitivity (manual)	125-6400, 125-3200	USB Type-C required charging	15 W
Colour sampling	YCbCr4:2:0 8-bit	power (max) *	
Audio		Operational conditions	
Built-in microphone *	<b>✓</b>	Operating temperature (T-T)	0 - 40 °C
Built-in speaker(s)	·	Weight & dimensions	
Audio system	stereo	Width	90 mm
Wind filter	stereo ✓	Depth	34.3 mm
Audio formats supported	AAC, LPCM	Height	63.4 mm
Memory	·-, -· ·	Weight Weight (including battery)	211 g 211 g
•	CD CDUC CDVC	J . J .	211 g
Compatible memory cards * Memory slots	SD, SDHC, SDXC 1	Packaging data	1 nc/c)
	<del>-</del>	Quantity per pack Package width	1 pc(s) 158 mm
Display	LCD	Package depth	290 mm
Display *	LCD	Package height	118 mm
Touchscreen *	√ 5.09 cm /2"\	Package weight	795 g
Display diagonal * Display resolution	5.08 cm (2") 460000 dot	Packaging content	
Display resolution	.50000 400	Hand strap	<b>√</b>
		•	
		Neck strap included	×
		•	

Packaging content	
Batteries included	✓
Lens cap included	✓
Logistics data	
Products per pallet	144 pc(s)



8714574676982

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.