

## NEC MultiSync 60005141 visualizzatore di messaggi Pannello piatto per segnaletica digitale 109,2 cm (43") IPS 700 cd/m² 4K Ultra HD Nero 24/7

**Marchio :** NEC

**Famiglia del prodotto:**  
MultiSync

**Codice prodotto:** 60005141



**Nome del prodotto :**  
60005141

NEC MultiSync 60005141. Design del prodotto: Pannello piatto per segnaletica digitale. Dimensioni diagonale schermo: 109,2 cm (43"), Tecnologia display: IPS, Risoluzione del display: 3840 x 2160 Pixel, Luminosità schermo: 700 cd/m², Tipologia HD: 4K Ultra HD. Ore di servizio (ore/giorni): 24/7. Colore del prodotto: Nero



Display		Performance	
LED backlighting type	Edge-LED	Ambient light sensor	✓
Display diagonal *	109.2 cm (43")	Operating hours (hours/days)	24/7
Display technology *	IPS	HDCP	✓
Display resolution *	3840 x 2160 pixels	International Protection (IP) code	IP5X, IP2X
Display brightness *	700 cd/m²	<b>Power</b>	
HD type *	4K Ultra HD	Power consumption (typical) *	90 W
Native aspect ratio	16:9	Power consumption (standby) *	0.5 W
Response time	8 ms	Energy efficiency class (SDR)	G
Contrast ratio (typical)	8000:1	Energy efficiency class (HDR)	G
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours	87 kWh
Viewing angle, vertical	178°	Energy consumption (HDR) per 1000 hours	87 kWh
Display number of colours	1.073 billion colours	AC input voltage	100 - 240 V
Display diagonal (metric)	108 cm	AC input frequency	50 - 60 Hz
Horizontal scan range	15 - 135 kHz	<b>Weight &amp; dimensions</b>	
Vertical scan range	23 - 76 Hz	Display width	968.2 mm
Native refresh rate	60 Hz	Display depth	67.1 mm
Haze rate	28%	Display height	561 mm
<b>Ports &amp; interfaces</b>		Display weight	18.5 kg
HDMI ports quantity *	2	<b>Packaging data</b>	
DisplayPorts quantity *	2	Package width	1120 mm
USB port *	✓	Package depth	203 mm
USB ports quantity	3	Package height	700 mm
USB version	2.0	Package weight	23 kg
Ethernet LAN *	✓	<b>Packaging content</b>	
Ethernet LAN (RJ-45) ports	1	Remote control included	✓
Ethernet LAN data rates	100 Mbit/s	Batteries included	✓
Audio (L/R) out	1	Cables included	AC, HDMI
<b>Design</b>		<b>Operational conditions</b>	
Product design *	Digital signage flat panel	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor		
Orientation	Horizontal/Vertical		
Product colour *	Black		
VESA mounting *	✓		

Design		Operational conditions	
Panel mounting interface	300 x 300 mm	Operating relative humidity (H-H)	20 - 80%
Bezel width (bottom)	1.56 cm	Storage temperature (T-T)	-20 - 60 °C
Bezel width (side)	1.1 cm	Storage relative humidity (H-H)	10 - 90%
Bezel width (top)	1.1 cm	Logistics data	
Performance		Harmonized System (HS) code	85285210
Purpose *	Universal		
Picture-in-Picture	✓		



5028695119369



0805736072792



805736072792

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-APR-2025. Prints or copies of Information are only valid on the printed Publication date