## Canon RF 135mm F1.8 L IS USM MILC Teleobiettivo zoom Nero

Marchio : Canon Codice prodotto: 5776C005

Nome del prodotto: RF 135mm F1.8 L IS USM

## RF 135mm F1.8 L IS USM

Canon RF 135mm F1.8 L IS USM. Componente per: MILC, Struttura lente: 17/12, Tipo di lente: Teleobiettivo zoom. Marche compatibili: Canon, Attuatore AF: USM, Colore dell'obiettivo: Nero. Colore del prodotto: Nero, Tipo di montaggio: Bayonet. Paese di origine: Giappone, Quantità per pacco: 1 pz, Numero di livelli per pallet: 3 pz. Diametro: 8,92 cm, Dimensione filtro: 82 mm, Lunghezza: 133 mm





Lens system		Performance	
Component for *	MILC	Camera brands compatibility *	Canon
Lens type *	Telephoto zoom lens	Circular aperture	✓
Lens structure (elements/groups) * Lens viewing angle, horizontal	17/12 15°	Lens coating features	Air Sphere Coating (ASC), Super Spectra Coating (SSC)
Focus adjustment Lens viewing angle, vertical	Auto/Manual 10°	Number of Ultra-low Dispersion (UD) elements	3
Fixed focal length	135 mm	Lens hood	✓
Lens viewing angle, diagonal	18°	Lens hood model	ET-88B
Focal length range	35 - 135 mm	Design	
Minimum aperture number *	22	Product colour	Black
Number of diaphragm blades	9	Mounting type	Bayonet
Closest focusing distance *	0.7 m	Dustproof	✓
Maximum aperture number *	1.8	Weatherproof	1
Macro ratio	1:4		
Zoom capability *	•	Logistics data	
Image sensor format	Full frame	Country of origin	Japan
Lens mount interface *	Canon RF	Quantity per pack	1 pc(s)
Teleconverter/Extender compatible	×	Layers per pallet	3 pc(s)
Control ring	✓	Master (outer) cases per pallet layer	6 pc(s)
Image stabilizer	✓	Weight & dimensions	
Image stabilizer type	Optical Image Stabilization (OIS)	Length	133 mm
Image stabilizer number of stops	6.5	Weight	940 g
Image stabilizer number of stops (OIS)	5.5	Diameter *	8.92 cm

Lens system		Weight & dimensions	
Image stabilizer number of stops	8	Filter size *	82 mm
(IBIS x OIS)		Packaging data	
Performance		Package width	250 mm
Auto focus	✓	Package depth	300 mm
Manual focus	✓	Package height	250 mm
AF actuator	USM	Package weight	1.1 kg
Lens colour	Black	Package volume	4842 cm³
		Packaging content	
		Lens cap included	✓
		Lens cap model	E-82 II
		Rear lens cap included	✓
		Rear lens cap model	RF
		User guide	✓



4549292207385

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.